
Financial IT Examination-JavaEntry- Level_EN_201905

:
: _____ : _____ : _____ : _____
:

: (_____)

I

1. (1 point) Which of the following items is not a liquid asset?
 - A. Monetary Fund
 - B. accounts receivable
 - C. accounts payable
 - D. inventory
2. (1 point) What is the main factor in credit analysis for a personal loan?
 - A. Personal character
 - B. Expected income
 - C. Asset
 - D. Collateral
3. (1 point) When payment of debt is guaranteed by personal property owned by the debtor or in which the debtor has a legal interest, the transaction is known as:
 - A. A bankruptcy.
 - B. An unsecured transaction.
 - C. A secured transaction.
 - D. A liquidation.

II

(_____ : _____ , _____)

1. (2.0 points) Which of the following is correct for the description of 'Try' block? (Test center: Capturing exceptions in Java)
 - A. There should be at least one catch block after the Try block

-
- B. There must be a finally block after the Try block
- C. Methods that may throw Exceptions which should be instead of in the Try block
- D. The processing of the thrown Exception should be instead of in the Try block
2. (2.0 points) Which of the following methods can define to use multi-threading? (multiple) (Test center: Definition of multithreading in Java)
- A. extend Thread class
- B. implements Runnable Interface
- C. implements Callable Interface
- D. implements run method
3. (2.0 points) JSP can use some hidden objects, which choice can you define to accept the parameters entered by the browser () (Test center: How to accept the parameters passed by the browser in J2EE)
- A. param
- B. requestScope
- C. sessionScope
- D. applicationScope
4. (2.0 points) After Spring integrates Hibernate, which methods can you use to save data? (multiple) (Test center: Use of the Java framework Hibernate)
- A. save
- B. load
- C. update
- D. merge
5. (2.0 points) Which of the following is true about the Spring configuration file. (multiple) (Test center: Use of Spring for the Java framework)
- A. The Spring configuration file must be named applicationContext.xml
- B. Spring configuration file can not be named applicationContext.xml
- C. Spring configuration file can have multiple file
- D. Spring configuration file can only have one file
6. (2.0 points) Which of the following description of the base data type is correct? (Test center: Understanding of data types in Java)
- A. The boolean data type has only two values, TRUE or FALSE
- B. Using long type to save decimals
- C. The Float data type can hold a larger data range than the Double data type
- D. The Byte data type can save number type

1. (2.0 points) To be overridden, a method must have the same _____, _____ and return _____ .

空一: _____ (Test center: Java method overridden)

空二: _____

空三: _____

2. (2.0 points) Please write three annotations in Spring _____, _____, _____

空一: _____ (Test center: Annotation implementation of Java framework Spring framework)

空二: _____

空三: _____

3. (2.0 points) It is known that the Unicode value of the character '1' is 49, then the result of `system.out.println('1'+2)` is _____ (Test center: Conversion of data types in Java)

```
        success: function(data) {  
            console.log(data);  
        }  
    })
```

(12 points) Java code segment. (Complete code according to context)
(LoanController.java)

```
_____(3)_____  
_____(4)_____ (value = "_____(5)_____" )  
public class LoanController {  
    _____(6)_____  
    private LoanService loanService;  
  
    _____(7)_____ (value = "_____(8)_____", method = RequestMethod.POST)  
    public _____(9)_____ LoanTrans() {  
        List< LnTransPo > loanTrans = new ArrayList<LnTransPo>();  
        _____(10)_____  
        return loanTrans;  
    }  
}
```

(LoanService.java)

```
_____(11)_____  
public interface LoanService {  
    List<LnTransPo> getLoanTransList();  
}
```

mybatis code part (Fill in the contents of the following code)
(10 points) (LoanTransMapper.xml)

```
<mapper namespace=" LoanTransMapper ">  
    <resultMap id=" LnTransMap" type="ln.pojo.LnTransPo " >  
        _____(12)_____  
        .....  
    </resultMap>  
    <select id="selectLoanTransList" resultType="LnTransPo">  
        _____(13)_____  
    </select>  
</mapper>
```