








REFERENCES

- [1] T. Oka and T. Nozawa, AlGaIn/GaN recessed MIS-gate HFET with high-threshold-voltage normally-off operation for power electronics applications, *IEEE Electron Device Lett.*, vol. 29, no. 7, pp. 668–670, Jul. 2008, doi: [10.1109/LED.2008.2000607](https://doi.org/10.1109/LED.2008.2000607).
- [2] O. Hilt, A. Knauer, F. Brunner, E. Bahat-Treidel, and J. W. R., Normally-off AlGaIn/GaN HFET with p-type Ga gate and AlGaIn buffer, in *Proc. 22nd Int. Symp. Power Semiconductor Devices C's (ISPSD)*, 2010, pp. 347–350.
- [3] F. Lee, L.-Y. Su, C.-H. Wang, Y.-R. Wu, and J. Huang, Impact of gate metal on the performance of p-GaN/AlGaIn/GaN high electron mobility transistors, *IEEE Electron Device Lett.*, vol. 36, no. 3, pp. 232–234, Mar. 2015, doi: [10.1109/LED.2015.2395454](https://doi.org/10.1109/LED.2015.2395454).
- [4] I. Hwang, J. Kim, H. S. Choi, H. Choi, J. Lee, K. Y. Kim, J.-B. Park, J. C. Lee, J. Ha, J. Oh, J. Shin, and U.-I. Chung, p-GaN gate HEMTs with Tungsten gate metal for high threshold voltage and low gate current, *IEEE Electron Device Lett.*, vol. 34, no. 2, pp. 202–204, Feb. 2013, doi: [10.1109/LED.2012.2230312](https://doi.org/10.1109/LED.2012.2230312).
- [5] Y. Wang, M. Wang, B. Xie, C. P. Wen, J. Wang, Y. Hao, W. Wu, K. J. Chen, and B. Shen, High-performance normally-Off Al₂O₃/GaN MOSFET using a wet etching-based gate recess technique, *IEEE Electron Device Lett.*, vol. 34, no. 11, pp. 1370–1372, Nov. 2013, doi: [10.1109/LED.2013.2279844](https://doi.org/10.1109/LED.2013.2279844).
- [6] Z. Xu, J. Wang, Y. Cai, J. Liu, C. Jin, and Z. Yang, Enhancement mode (E-mode) AlGaIn/GaN MOSFET with 10^{−13} A/mm leakage current and 10¹² ON/OFF current ratio, *IEEE Electron Device Lett.*, vol. 35, no. 12, pp. 1200–1202, Dec. 2014, doi: [10.1109/LED.2014.2360541](https://doi.org/10.1109/LED.2014.2360541).
- [7] S. Huang, Q. Jiang, K. Wei, G. Liu, J. Zhang, Y. Zheng, B. Sun, C. Zhao, H. Liu, Z. Jin, X. Liu, H. Wang, S. Liu, Y. Lu, C. Liu, S. Yang, Z. Tang, J. Zhang, Y. Hao, K. J. Chen, and X. Wang, High-temperature low-damage gate recess technique and ozone-assisted ALD-